






















PVC-U PIPES & FITTING SYSTEMS

FOR ABOVE & BELOW
GROUND APPLICATIONS



40mm & 50mm Waste fittings

<p>87.5° Plain BEND</p>  <p>Solvent Weld</p> <p>40mm: W40B,NS001 50mm: W50B,NS045</p>	<p>87.5° Access BEND</p>  <p>Solvent Weld</p> <p>40mm: W40B,NS005 50mm: W50B,NS050</p>	<p>45° Plain BEND</p>  <p>Solvent Weld</p> <p>40mm: W40B,NS010 50mm: W50B,NS055</p>	<p>45° Access BEND</p>  <p>Solvent Weld</p> <p>40mm: W40B,NS015 50mm: W50B,NS060</p>	<p>2" BSP Male ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>50mm: W50MAD,100</p>
<p>1 1/2" BSP Male ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>40mm: W40MAD,065 50mm: W50MAD,085</p>	<p>1 1/4" BSP Male ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>40mm: W40MAD,025 50mm: W50MAD,075</p>	<p>2" BSP Female ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>50mm: W50FAD,095</p>	<p>1 1/2" BSP Female ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>40mm: W40FAD,070 50mm: W50FAD,090</p>	<p>1 1/4" BSP Female ADAPTOR</p>  <p>Solvent Weld & BSP thread</p> <p>40mm: W40FAD,030 50mm: W50FAD,080</p>
<p>Double SOCKET</p>  <p>Solvent Weld</p> <p>40mm: W40DS,005 50mm: W50DS,020</p>	<p>Single SOCKET</p>  <p>Solvent Weld/Rubber Ring</p> <p>40mm: W40SS,001 50mm: W50SS,010</p>	<p>STOP END plain Male plug</p>  <p>Solvent Weld</p> <p>40mm: W40SE,005 50mm: W50SE,010</p>	<p>STOP END Access Female with screw lid</p>  <p>Solvent Weld</p> <p>40mm: W40SEA,025 50mm: W50SEA,015</p>	<p>REDUCER Concentric insert bush</p>  <p>Solvent Weld</p> <p>50x40mm: W50RED,106</p>
<p>Aluminium HOLDER BAT</p>  <p>Wall plug and nail</p> <p>40mm: W40HB,040 50mm: W50HB,050</p>	<p>PVC HOLDER BAT</p>  <p>Wall plug and nail</p> <p>40mm: W40HB,045 50mm: W50HB,055</p>	<p>PIPE CLIP PVC</p>  <p>Clip on</p> <p>40mm: W40PC/KT,040 50mm: W50PC/KT,050</p>	<p>Female VENT COWL</p>  <p>Solvent Weld</p> <p>50mm: W50AVC,035</p>	<p>VENT VALVE 1 way* or 2 way**</p>  <p>Solvent Weld</p> <p>*50mm: VV50/1W,001 **50mm: VV50/2W,001</p>

40mm & 50mm Waste fittings

87.5° Plain JUNCTION

Single




Solvent Weld

40mm: W40SJ,NS001
50mm: W50SJ,NS075

87.5° Access JUNCTION

Single



Solvent Weld

40mm: W40SJ,NS005
50mm: W50SJ,NS080

45° Access JUNCTION

Single



Solvent Weld

40mm: W40SJ,015
50mm: W50SJ,090

45° Plain JUNCTION

Single



Solvent Weld

40mm: W40SJ,010
50mm: W50SJ,085

ISO 9001 Quality Management

DPI Plastics' factories are ISO 9001 certified, ensuring that all processes are in accordance with a quality management system that is maintained with regular external audits and continual improvement as a strategic goal.

OHSAS – Occupational Health and Safety

DPI Plastics is OHSAS 18001 certified and commits to conducting its operations in such a way that the health and safety of its employees is not endangered and its operational impact on the environment is minimised.

SAPPMA – Founder member

The Southern African Plastics Pipe Manufacturers Association (SAPPMA) was founded by leading players in the industry such as DPI Plastics with a view to promoting quality practices and standards. The SAPPMA mark on a pipe is an additional stamp of quality over and above the SABS mark giving engineers and installers peace of mind.

SAVA - Member

DPI Plastics is a member of the Southern African Vinyls Association (SAVA) and a signatory to their Product Stewardship Programme (PSP) which encourages environmental responsibility and sustainability. The SAVA PSP has five fundamental focus areas, namely:




















- Responsible and sustainable use of additives;
- Responsible and sustainable vinyl recycling;
- Effective communication with industry, public and government;
- Encouraging growth, prosperity and sustainability of the vinyls industry;
- Adding value to members, industry and society as a whole.

For further information visit www.savinyls.co.za.

SABS – Product certifications

- Freeflo PVC-U soil, vent and waste pipe manufactured in accordance with SANS 967
- Durodrain PVC-U solid wall sewer and drain pipe manufactured in accordance with SANS 791
- Ultracor PVC-U multi-layer sewer and drain pipe manufactured in accordance with SANS 1601
- Rainflo PVC-U UV stabilized gutter systems manufactured in accordance with SANS 11
- Plomylayer PERT/AL/PERT multilayer piping systems for hot & cold water manufactured to SANS 21003 Parts 1,2,3 & 5
- PlomyPEX cross-linked polyethylene piping systems for hot & cold water manufactured to SANS 15875 Parts 2, 3 & 5



<p>INSPECTION PIPE Straight</p>  <p>Solvent Weld</p> <p>75mm: S75IP,001 110mm: S110IP,005</p>	<p>FULL BORE ADAPTOR Male BSP thread</p>  <p>Spigot End</p> <p>110mm: W110FB,015</p>	<p>Double SOCKET</p>  <p>Rubber Ring</p> <p>110mm: S110DS,010</p>	<p>Kimberley repair SOCKET</p>  <p>Rubber Ring</p> <p>110mm: S110KS,021</p>	<p>Double SOCKET</p>  <p>Solvent Weld</p> <p>110mm: S110DS,035</p>
<p>Single SOCKET</p>  <p>Solvent Weld/Rubber Ring</p> <p>75mm: S75SS,001 110mm: S110SS,005</p>	<p>45° BEND Plain* or Access heel**</p>  <p>Spigot/Solvent Weld</p> <p>*75mm: S75B,012 **75mm: S75B,017</p>	<p>87.5° BEND Plain* or Access heel**</p>  <p>Spigot/Solvent Weld</p> <p>*75mm: S75B,003 **75mm: S75B,007</p>	<p>87.5° Plain BEND</p>  <p>Rubber Ring</p> <p>110mm: S110B,NS123</p>	<p>87.5° Access BEND</p>  <p>Rubber Ring</p> <p>110mm: S110B,NS128</p>
<p>45° Plain BEND</p>  <p>Rubber Ring</p> <p>110mm: S110B,NS159</p>	<p>45° Access BEND</p>  <p>Rubber Ring</p> <p>110mm: S110B,NS164</p>	<p>87.5° VENTHORN BEND Access</p>  <p>Rubber Ring</p> <p>110x50mm: S110BVH,NS153</p>	<p>87.5° Plain JUNCTION Single</p>  <p>Rubber Ring/Spigot</p> <p>110mm: S110SJ,NS144</p>	<p>87.5° Plain JUNCTION Single</p>  <p>Rubber Ring</p> <p>110mm: S110SJ,NS143</p>
<p>87.5° Access JUNCTION Single</p>  <p>Rubber Ring</p> <p>110mm: S110SJ,NS148</p>	<p>87.5° SINGLE JUNCTION Plain* or Access**</p>  <p>Spigot/Solvent Weld</p> <p>*S75SJ,003 **S75SJ,007</p>	<p>45° Plain JUNCTION Single</p>  <p>Spigot/Solvent Weld</p> <p>75mm: S75SJ,022 110mm: S110SJ,080</p>	<p>45° Access JUNCTION Single</p>  <p>Spigot/Solvent Weld</p> <p>75mm: S75SJ,027 110mm: S110SJ,085</p>	<p>87.5° Plain JUNCTION Double</p>  <p>Rubber Ring</p> <p>110mm: S110DJ,NS174</p>

75mm & 110mm Soil & Vent fittings

<p>87.5° Access JUNCTION</p> <p>Double</p> <p>Rubber Ring</p> <p>110mm: S110DJ,NS179</p>	<p>87.5° Plain JUNCTION</p> <p>Double</p> <p>Rubber Ring/Spigot</p> <p>110mm: S110DJ,NS175</p>	<p>87.5° Access JUNCTION</p> <p>Double</p> <p>Rubber Ring/Spigot</p> <p>110mm: S110DJ,NS180</p>	<p>45° Plain JUNCTION</p> <p>Double</p> <p>Rubber Ring/Spigot</p> <p>110mm: S110DJ,195</p>	<p>45° Access JUNCTION</p> <p>Double</p> <p>Rubber Ring/Spigot</p> <p>110mm: S110DJ,200</p>
<p>Reducing JUNCTION</p> <p>Single, 87.5° Plain</p> <p>Rubber Ring/Spigot</p> <p>110x40mm: S110SRJ,NS040 110x50mm: S110SRJ,NS050</p>	<p>Reducing JUNCTION</p> <p>Single, 87.5° Access heel</p> <p>Rubber Ring/Spigot</p> <p>110x40mm: S110SRJ,NS045 110x50mm: S110SRJ,NS055</p>	<p>Reducing JUNCTION</p> <p>Single, 87.5° Plain</p> <p>Rubber Ring</p> <p>110x40mm: S110SRJ,NS041 110x50mm: S110SRJ,NS051</p>	<p>Reducing JUNCTION</p> <p>Single, 87.5° Access heel</p> <p>Rubber Ring</p> <p>110x40mm: S110SRJ,NS046 110x50mm: S110SRJ,NS056</p>	<p>Reducing JUNCTION</p> <p>Single, 87.5° Plain</p> <p>Rubber Ring/Spigot</p> <p>75x50mm: S75SRJ,001</p>
<p>Reducing JUNCTION</p> <p>Single, 87.5° Access</p> <p>Rubber Ring/Spigot</p> <p>75x50mm: S75SRJ,005</p>	<p>Reducing JUNCTION</p> <p>Single, 45° Plain</p> <p>Rubber Ring/Spigot</p> <p>75x50mm: S75SRJ,020 110x50mm: S110SRJ,100</p>	<p>Reducing JUNCTION</p> <p>Single, 45° Access</p> <p>Rubber Ring/Spigot</p> <p>75x50mm: S75SRJ,025 110x50mm: S110SRJ,105</p>	<p>Reducing JUNCTION</p> <p>Single, 45° Plain</p> <p>Rubber Ring</p> <p>110x50mm: S110SRJ,091</p>	<p>Reducing JUNCTION</p> <p>Single, 45° Access</p> <p>Rubber Ring</p> <p>110x50mm: S110SRJ,096</p>
<p>Reducing JUNCTION</p> <p>Double, 87.5° Plain</p> <p>Rubber Ring/Spigot</p> <p>110x50mm: S110DRJ,NS325</p>	<p>Reducing JUNCTION</p> <p>Double, 87.5° Access</p> <p>Rubber Ring/Spigot</p> <p>110x50mm: S110DRJ,NS330</p>	<p>Reducing JUNCTION</p> <p>Double, 45° Plain</p> <p>Rubber Ring/Spigot</p> <p>110x50mm: S110DRJ,235</p>	<p>Reducing JUNCTION</p> <p>Double, 45° Access</p> <p>Rubber Ring/Spigot</p> <p>110x50mm: S110DRJ,240</p>	<p>PAN CONNECTOR</p> <p>Straight</p> <p>Rubber Ring</p> <p>110mm: S110PC,100</p>

RAINFLO PVC-U GUTTER & DOWNPIPE SYSTEM

SANS 11

- 0 4m or 6m Rainflo D-shaped gutter
- 1 Rainflo gutter bracket
- 2 Rainflo round outlet
- 3 Rainflo stop end
- 4 Rainflo expansion bracket
- 5 Rainflo offset bend
- 6 3m round or square downpipe
- 7 Rainflo round downpipe connector
- 8 Rainflo round holderbat
- 9 Rainflo round shoe

FREEFLO PVC-U SOIL AND VENT PIPES AND FITTINGS

SANS 967

- 0 110 x 6m Freeflo Soil & Vent Pipe
- 1 110 Freeflo pan connector
- 2 110 x 87.5 Freeflo AH junction
- 3 110 Freeflo 2-way vent valve
- 4 110 x 50 x 87.5 single reducing AH junction
- 5 110 x 50 x 87.5 double reducing Acc junction
- 6 110 Freeflo PVC holderbat

DURODRAIN PVC-U SEWER AND DRAIN FITTINGS

SANS 791 & 1601

- 1 110 x 45 rodding eye
- 2 110 x 45 plain bend
- 3 110 x 90 ribbed plain bend
- 4 110 double socket
- 5 110 x 45 ribbed plain junction
- 6 110 x 45 ribbed access right junction
- 7 110 x 45 ribbed access left junction
- 8 110 gully P-trap
- 9 110 gully head and grate
- 10 110 x 90 long radius bend

DURODRAIN PVC-U SEWER & DRAIN PIPE

SANS 791

- 0 110 x 6m Durodrain pipe
- 0 160 x 6m Durodrain pipe
- 0 200 x 6m Durodrain pipe
- 0 250 x 6m Durodrain pipe



Market leaders in plastic piping systems for plumbing and drainage

For comprehensive information on system design, codes of practice and installation guidelines, refer to our website or request a copy of our latest Product and Technical CD from marketing@dpiplastics.co.za



FREEFLO
SANS 967

PVC-U WASTE PIPES AND FITTINGS (40 - 50mm)

- 0 6m Freeflo waste pipe
- 1 87.5 Freeflo plain bend
- 2 87.5 Freeflo AH bend
- 3 45 Freeflo plain bend
- 4 110 Freeflo strap saddle
- 5 PVC holderbat

ULTRACOR
SANS 1601

PVC-U STRUCTURED WALL SEWER & DRAIN PIPE

- 0 110 x 6m Ultracor pipe
- 0 160 x 6m Ultracor pipe
- 0 200 x 6m Ultracor pipe
- 0 250 x 6m Ultracor pipe

DURODRAIN
PVC-U Solid Wall Sewer and Drain Systems
SANS 791

FREEFLO
PVC-U Soil, Waste & Vent Pipe Systems
SANS 967

ULTRACOR
PVC-U Structured wall Sewer and Drain Systems
SANS 1601



75mm & 110mm Soil & Vent fittings

<p>PAN CONNECTOR Straight</p> <p>Solvent Weld 110mm: S110PC,222</p>	<p>PAN CONNECTOR 90° Plain, Bent</p> <p>Rubber Ring 110mm: S110BPC,115</p>	<p>PAN CONNECTOR 90° Access, Bent</p> <p>Rubber Ring 110mm: S110BPC,200</p>	<p>PAN CONNECTOR 90° Access, Bent</p> <p>Solvent Weld 110mm: S110BPC,222</p>	<p>PAN CONNECTOR Eccentric</p> <p>Solvent Weld 110mm: S110PCE,225</p>
<p>PAN CONNECTOR Female over pan spigot</p> <p>Fits into pipe (Flush fit) 110mm: S110FF,015</p>	<p>ECCENTRIC REDUCER</p> <p>Rubber Ring/Spigot 75x50mm: S75ER,060 110x50mm: S110ER,065</p>	<p>ECCENTRIC REDUCER</p> <p>Spigot & Solvent Weld 110x50mm: S110ER,061 110x75mm: S110ER,070</p>	<p>GULLY HEAD + GRATE Round</p> <p>Solvent Weld 110mm: U110GUL,025</p>	<p>GULLY HEAD + GRATE Square</p> <p>Solvent Weld 110mm: U110GUL,030</p>
<p>STOP END Plain Male</p> <p>Spigot Plug 75mm: S75SE,060 110mm: S110SE,071</p>	<p>STOP END Access Female with screw lid</p> <p>Solvent Weld 75mm: S75SEA,065 110mm: S110SEA,015</p>	<p>Aluminium HOLDER BAT</p> <p>Wall plug & Nail 75mm: S75HB,100 110mm: S110HB,110</p>	<p>PVC HOLDER BAT</p> <p>Wall plug & nail 75mm: S75HB,105 110mm: S110HB,115</p>	<p>STRAP SADDLE Self-tapping screw</p> <p>Solvent Weld/Rubber Ring 110x40mm: S11040SSAD,040 110x50mm: S11050SSAD,050</p>
<p>VENT VALVE 1 way* or 2 way**</p> <p>Rubber Ring *110mm: VV110/1W,001 **110mm: VV110/2W,001</p>	<p>OVERFLOW CAP For use on closed gully system</p> <p>Solvent Weld 110mm: S110CAP,065</p>	<p>FEMALE VENT COWL</p> <p>Solvent Weld 75mm: S75AVC,085 110mm: S110AVC,090</p>		

160mm SV fittings range available on request.

DURODRAIN®

110mm Underground Sewer & Drain Systems



SANS 1601



SANS 791

<p>LONG RADIUS BEND 45° Plain</p>  <p>Spigot & Socket</p> <p>110mm: U110B,100 (22.5°) 110mm: U110B,105 (45°) 110mm: U110B,110 (90°)</p>	<p>SQUARE JUNCTION Plain</p>  <p>Rubber Ring or Spigot/Socket</p> <p>RR/RR: U110SJ,017 RR/SP: U110SJ, 019</p>	<p>Gully P-TRAP</p>  <p>Rubber Ring & Spigot</p> <p>110mm: U110GUL,012</p>	<p>ABC RODDING EYE</p>  <p>Rubber Ring</p> <p>110mm: U110RE,056 (45°) 110mm: U110RE,060 (90°)</p>	<p>Female STOP END Access</p>  <p>Solvent Weld</p> <p>110mm: U110SEA,050</p>
<p>Male plug STOP END</p>  <p>Spigot End</p> <p>110mm: U110SEM,046</p>	<p>Female cap STOP END</p>  <p>Solvent Weld</p> <p>110mm: U110SEF,040</p>	<p>Female ADAPTOR PVC/EW</p>  <p>Rubber Ring</p> <p>110mm: U110FAD,016</p>	<p>Kimberley Repair SOCKET</p>  <p>Rubber Ring</p> <p>110mm: U110KS,016</p>	<p>Double SOCKET</p>  <p>Rubber Ring</p> <p>110mm: U110DS,020</p>
<p>Double SOCKET</p>  <p>Solvent Weld</p> <p>110mm: U110DS,010</p>	<p>Single SOCKET</p>  <p>Rubber Ring/Solvent Weld</p> <p>110mm: U110SS,002</p>	<p>Inspection PIPE Access</p>  <p>Rubber Ring</p> <p>110mm: U110IP,002</p>	<p>22.5° Plain BEND</p>  <p>Rubber Ring</p> <p>110mm: C110SBP,720</p>	<p>45° Plain BEND</p>  <p>Rubber Ring</p> <p>110mm: C110SBP,940</p>
<p>90° Plain BEND</p>  <p>Rubber Ring</p> <p>110mm: C110SBP,990</p>	<p>45° Access BEND Left/right</p>  <p>Rubber Ring</p> <p>110mm: C110SBA,745</p>	<p>90° Access BEND Left/right</p>  <p>Rubber Ring</p> <p>110mm: C110SBA,795</p>	<p>45° Plain JUNCTION Single</p>  <p>Rubber Ring</p> <p>110mm: C110SSJP,940</p>	<p>45° Access JUNCTION Single, left*/right**</p>  <p>Rubber Ring</p> <p>*110mm: C110SSJA,741 **110mm: C110SSJA,742</p>


160mm to 250mm sewer fittings range available on request.



D-shape Gutter & Downpipe System

<p>D-Shape GUTTER</p>  <p>Solvent Weld</p> <p>GPE6,01</p>	<p>Square DOWNPIPE</p>  <p>Solvent Weld</p> <p>PSQ3,01</p>	<p>Round DOWNPIPE</p>  <p>Solvent Weld</p> <p>PPE3,01</p>	<p>Repair COUPLING</p>  <p>Solvent Weld</p> <p>GPECON,115</p>	<p>Expansion BRACKET</p>  <p>Solvent Weld</p> <p>GPEEB,200</p>
<p>Gutter CORNER 90°</p>  <p>Solvent Weld</p> <p>GPECP,125</p>	<p>Gutter STOP END</p>  <p>Solvent Weld</p> <p>GPESE,110</p>	<p>Gutter BRACKET</p>  <p>Solvent Weld</p> <p>GPEBRA,095</p>	<p>Square Gutter OUTLET</p>  <p>Solvent Weld</p> <p>GPEOUT,105</p>	<p>Round Gutter OUTLET</p>  <p>Solvent Weld</p> <p>GPEOUT,100</p>
<p>Round OFFSET BEND</p>  <p>Solvent Weld</p> <p>PPEB,145</p>	<p>Round HOLDERBAT</p>  <p>Solvent Weld</p> <p>PPEHB,130</p>	<p>Round CONNECTOR</p>  <p>Solvent Weld</p> <p>PPECON,140</p>	<p>Round SHOE</p>  <p>Solvent Weld</p> <p>PPESHO,155</p>	<p>Square OFFSET BEND</p>  <p>Solvent Weld</p> <p>PSQB,080</p>
<p>Square HOLDERBAT</p>  <p>Solvent Weld</p> <p>PSQWS,060</p>	<p>Square CONNECTOR For downpipe</p>  <p>Solvent Weld</p> <p>PSQCON,065</p>	<p>Square SHOE</p>  <p>Solvent Weld</p> <p>PSQSHO,090</p>	<p>Square CHANGE PIECE</p>  <p>Solvent Weld</p> <p>PSQCHP,075</p>	<p>Square BRANCH BEND</p>  <p>Solvent Weld</p> <p>PSQB,085</p>

D-shape Gutter & Downpipe System



RAINFLO
SANS 11

PVC-U D-SHAPE
GUTTER & DOWNPIPE
SYSTEM

- 1 D-shape gutter (4 and 6m lengths)
- 2 Gutter Stopend
- 3 Gutter Expansion Bracket
- 4 Gutter Corner 90°
- 5 Gutter Repair Coupling
- 6 Gutter Outlet Round or Square
- 7 Gutter Bracket

RAINFLO
SANS 11

PVC-U D-SHAPE
GUTTER & DOWNPIPE
SYSTEM

- 8 Downpipe Round or Square
- 9 Offset Bend Round or Square
- 10 Downpipe Connector Round or Square
- 11 Square Change piece
- 12 Shoe Round or Square
- 13 Holderbat Round or Square

PVC-U Soil, Waste and Sewerage pipe



SANS 1601



SANS 791



SANS 967

FREEFLO[®] Soil, Waste & Vent pipe (SANS 967)

PRODUCT CODE	NOMINAL SIZE OD (mm)	STANDARD LENGTH (m)	JOINTING
W40/6,NS01	40	6	Plain end
W50/6,NS01	50	6	Plain end
W75/6,NS01	75	6	Plain end
S110/6,01	110	6	Plain end
S160/6,01	160	6	Plain end

ULTRACOR[®]

Structured wall Sewer & Drain pipe (SANS 1601)

NORMAL DUTY Class 100, 100kPa pipe stiffness

PRODUCT CODE	NOM. SIZE OD (mm)	STANDARD LENGTH (m)	JOINTING
UC110/6C100,01	110	6	Plain ended
UC160/6C100,01	160	6	Plain ended
UC110/6C100,02	110	6	Integral joint one end
UC160/6C100,02	160	6	Integral joint one end

MEDIUM DUTY Class 200, 200kPa pipe stiffness

PRODUCT CODE	NOM. SIZE OD (mm)	STANDARD LENGTH (m)	JOINTING
UC110/6C200,01	110	6	Plain ended
UC110/6C200,02	110	6	Integral joint one end
UC160/6C200,02	160	6	Integral joint one end

HEAVY DUTY Class 400, 400kPa pipe stiffness

PRODUCT CODE	NOM. SIZE OD (mm)	STANDARD LENGTH (m)	DESCRIPTION
UC110/6C400,02	110	6	Integral joint one end
UC160/6C400,02	160	6	Integral joint one end
UC200/6C400,02	200	6	Integral joint one end
UC250/6C400,02	250	6	Integral joint one end

DURODRAIN[®]

Solid Wall Sewer & Drain pipe (SANS 791)

NORMAL DUTY (Class 51)

100kPa pipe stiffness

PRODUCT CODE	NOM. SIZE OD (mm)	STANDARD LENGTH (m)	JOINTING
U110/6,01	110	6	Plain ended
U110/6,02	110	6	Integral joint one end
SE160/6,01	160	6	Plain ended
SE160/6,02	160	6	Integral joint one end
SE200/6,01	200	6	Plain ended
SE200/6,02	200	6	Integral joint one end
SE250/6,02	250	6	Integral joint one end
SE315/6,02	315	6	Integral joint one end
SE355/6,02	355	6	Integral joint one end
SE400/6,02	400	6	Integral joint one end
SE450/6,02	450	6	Integral joint one end
SE500/6,02	500	6	Integral joint one end
SE560/6,02	560	6	Integral joint one end
SE630/6,02	630	6	Integral joint one end

HEAVY DUTY (Class 34)

300kPa pipe stiffness

PRODUCT CODE	NOM. SIZE OD (mm)	STANDARD LENGTH (m)	JOINTING
U110/6HD,02	110	6	Integral joint one end
SE160/6HD,02	160	6	Integral joint one end
SE200/6HD,02	200	6	Integral joint one end
SE250/6HD,02	250	6	Integral joint one end
SE315/6HD,02	315	6	Integral joint one end
SE355/6HD,02	355	6	Integral joint one end
SE400/6HD,02	400	6	Integral joint one end
SE450/6HD,02	450	6	Integral joint one end
SE500/6HD,02	500	6	Integral joint one end
SE560/6HD,02	560	6	Integral joint one end
SE630/6HD,02	630	6	Integral joint one end

For additional information contact your nearest DPI Plastics branch or email info@dpiplastics.co.za

Johannesburg 011 345 5600 Cape Town 021 957 5600

headoffice@dpiplastics.co.za bellville@dpiplastics.co.za durban@dpiplastics.co.za bloem@dpiplastics.co.za
polokwane@dpiplastics.co.za nelspruit@dpiplastics.co.za pe@dpiplastics.co.za george@dpiplastics.co.za